1982 ANNUAL INDEXES

Textile Research Journal

Volume 52

AUTHOR AND TITLE INDEX, pp. 783–788

MONTH	PAGES
January	1–92
February	93–170
March	171–232
April	233–294
May	295–356
June	357–422

SUBJECT INDEX, pp. 789–794

MONTH	PAGES
July	423–484
August	485–546
September	547–608
October	609–670
November	671–732
December	733–794

AUTHOR AND TITLE INDEX

Abbott, G. M. Self-Twist Cotton Roving. Part I: Roving Production and Properties (*Thom*) 171
Self-Twist Cotton Roving. Part II: Yarn Properties and Spinnability 174
Adrian, H. Distribution of Component Fibers on the Surface of a Blended Yarn (*Żurek, Krucińska*) 473
Anderson, John J. Guarded Window Test Apparatus for Determining the Insulation Value of Interior Window Coverings 643
Andrews, B. A. Kottes How Mixed Catalysts Differ (*Reinhardt*) 123
Arghyros, Stelios Mechanics of Texturing Thermoplastic Yarns Part VIII: An Experimental Study of Heat Setting (*Backer*) 295
Audivert, R. Hybrid Spinning of Cotton Waste (*De Castellar, Fortuny*) 667

Backer, Stanley Mechanics of Texturing Thermoplastic Yarns. Part VIII: An Experimental Study of Heat Setting (*Arghyros*) 295
Mechanics of Texturing Thermoplastic Yarns. Part IX: Yarn Behavior in the Second Heater (*Smith*) 761
Barker, Roger L. Predicting the Hand of Nonwoven Fabrics from Simple Laboratory Measurements (*Scheininger*) 615
Bailey, Charles A. Enzymatic Evaluation of Sugar Content of Cotton (*Bailey, Reichard*) 321
Bailey, Nancy M. Enzymatic Evaluation of Sugar Content of Cotton (*Bailey, Reichard*) 321
Baitinger, William F. Fire Retardance Treatment of Fabrics for the 80s: Smolder Resistant Cotton Treated with Boric Acid 82
Bajaj, P. Aliphatic-Aromatic Copolyester Fibers: Effect of Bisphenols on Dyeability (*Khanna*) 292
Baker, Karlo Foam Finishing Technology (*Bryant, Camp, Kelsey*) 395
Balasubramanian, N. Comparison of Medium and Long Term Irregularities in Ring Spun and Open End Spun Yarns (*Rakshit*) 651
Bandyopadhyay, S. B. Effect of Preferential Migration on the Flexural Rigidity of Jute Blended Yarns (*Sur, Chakravarty*) 413
Beck, K. R. The Effect of Pad-Bath pH and Storage Period on the Hydrolysis of DMDHEU (*Pasad*) 269
Behery, Hassan M. A Study of Hairiness and Diameter of Open-End Yarn Processed Through Single- and Double-Cylinder Carding Machines and Its Comparison with Ring Yarn (*Sirang, Dinfon*) 274
Hydrolytic Effects on the Modulus of Polyester Fibers (*Hayes*) 286
Benerito, R. R. Modification of Cotton by Radiofrequency Plasma of Ammonia (*Ward*) 256
Benisek, L. Neutralization of Zirpro Flame Retardant Wool 731
Berni, Ralph J. Microelemental Analysis for Identifying Cotton-Related Dust Particles (*Goynes*) 654
Volatiles from Cotton Plant Parts (*Stanley*) 539
Bertoniere, Noelie R. Durable-Press Performance of Fabric from Filament-Wrapped Cotton Yarn (*Rowland, King*) 93
Besso, M. M. Contributions of Binder and Fiber to Nonwoven Properties (*Gillberg, Stuetz*) 587
Bhattacharya, G. K. A Novel Method of Spinning Jute Yarns for Decoratives (*Sen Gupta, Gupta, Ghosh, De*) 418
Chemically Texturizing Jute and Jute-Polypropylene Blended Yarns (*Gupta, Majumdar, Sur, Roy*) 694
Blanton, Wallace, H. Foam Mercerization (*Turner, Kravetz*) 73
Block, Ira Benefit-Cost Analysis of the Cotton Dust Regulation (*Dardis, Maness*) 380
Bryant, George M. Foam Finishing Technology (*Baker, Camp, Kelsey*) 395

Camp, Jesse G., Jr. Foam Finishing Technology (*Baker, Bryant, Kelsey*) 395
Carrión, F. J. Empirical Equations of Dyeing Kinetics (*Cegarra, Puente*) 193
Cashen, Norton A. A New Concept in the Reduction of Free Formaldehyde Associated with DMDHEU Easy-Care Finishing of Cotton 313
Cegarra, J. Empirical Equations of Dyeing Kinetics (*Puente, Carrión*) 193
Chakravarty, A. C. Effect of Preferential Migration on the Flexural Rigidity of Jute Blended Yarns (*Sur, Bandyopadhyay*) 413
Chattopadhyay, R. Change in Configuration of Fibers During Transfer from Cylinder to Doffer in a Card (*Sengupta*) 178

Incidence and Mechanism of Fiber Breakage in Rotor Spinning (*Salhotra*) 317
Chavan, R. B. Dyeing of Alkali Swollen and Alkali Swollen Solvent Exchanged Cotton with a Reactive Dye (*Subramanian*) 733
Chewning, Charles H. The Cottonmaster® Fiber Cleaner (*Mangum*) 45
Chiasson, Constance M. Acid and Enzymatic Hydrolysis of Pretreated Cellulosic Materials as an Analytical Tool (*Ladisch, Tsao*) 423
Cocke, Joseph B. Contact Between Tubing Adaptor and Support Pad Reduces Flowrate Through Dust Filter 167
Coffin, D. R. Properties and Applications of Celanese PBI—Polybenzimidazole Fiber (*Serad, Hicks, Montgomery*) 466
Connell, J. P. The Prediction of the Yield of Wool by Near-Infrared Reflectance Spectroscopy. Part III: Combined Near-Infrared and Visible Transmission Methods on Washed Wool (*Massie, Norris*) 212

Daigle, Donald J. Chemistry of Hydroxymethyl Phosphorus Compounds. Part I: Introduction (*Vail, Frank*) 671
Part II: Phosphonium Salts (*Frank, Vail*) 678
Part III: Phosphines, Phosphine Oxides, and Phosphonium Hydroxides (*Frank, Vail*) 738
Part IV: Ammonia, Amines, and THPOH: A Chemical Approach to Flame Retardancy (*Frank*) 751
Danna, G. Forthright Glyoxal as a Non-Nitrogenous Formaldehyde-Free Durable Press Reagent for Cotton (*Welch*) 149
Dardis, Rachel Benefit-Cost Analysis of the Cotton Dust Regulation (*Block, Maness*) 380
De, S. K. A Novel Method of Spinning Jute Yarns for Decoratives (*Sen Gupta, Gupta, Ghosh, Bhattacharya*) 418
de Boer, J. J. A Comparison of Pad-Dry-Cure and Low Add-On Reactant Application on Cotton Fabrics 237
De Castellar, D. Hybrid Spinning of Cotton Waste (*Audivert, Fortuny*) 667
DeLorme, Henry R. Advanced Prototype Firefighter Protective Clothing: Heat Dissipation Characteristics (*Reischl, Stransky, Travis*) 66
DeLuca, L. B. Dust Released by Repetitive Cleaning with the Cotton Particulates Analyzer (*Montalvo*) 563
Dinfon, Gou A Study of Hairiness and Diameter of Open-End Yarn Processed Through Single- and Double-Cylinder Carding Machines and Its Comparison with Ring Yarn (*Sirang, Behery*) 274
Doshi, B. A. Durable Press Finishing of Cotton Drill Using Transfer-Pad-Cure Technique (*Varghese*) 638
Duckett, K. E. Effect of Boll Age and Mercerization on Cotton Fiber Properties (*Ramey, Lawson, French*) 250
Dunbar, Janet B. Filtration of Cotton Dust by Lint Filter Media (*Lamb*) 205

Eckler, Paul A. Reduced Formaldehyde Release with Nitro Alcohols (*Hunsucker, Sankey, Tomasino, Livengood*) 133
El-Shiekh, Aly Load-Deformation Behavior of Two-Dimensional Crimped Filaments (*Gupta*) 621
Elsner, O. Detecting Sugars in Cotton Lint 538
Ethridge, M. D. Estimating Functional Relationships Between Fiber Properties and the Strength of Open-End Spun Yarns (*Towery, Hembree*) 35

Fischer, J. J. Endotoxin Content and Fiber Properties of Raw Cotton (*Morey, Sasser*) 524
Fleischfresser, Barry E. The Interaction of Positively Charged Polymer Particles with Wool Fibers 328
Fornes, Raymond An Analysis of the Mechanical Behavior of Triaxial Fabrics and the Equivalency of Conventional Fabrics (*Schwartz, Mohamed*) 388
Fortuny, E. Hybrid Spinning of Cotton Waste (*Audivert, De Castellar*) 667
Frank, Arlen W. Chemistry of Hydroxymethyl Phosphorus Compounds. Part I: Introduction (*Vail, Daigle*) ... 671
Part II: Phosphonium Salts (*Daigle, Vail*) 678
Part III: Phosphines, Phosphine Oxides, and Phosphonium Hydroxides (*Daigle, Vail*) 738
Part IV: Ammonia, Amines, and THPOH: A Chemical Approach to Flame Retardancy (*Daigle*) 751
Freeland, Graeme N. Treatment of Wool Fabrics with Mixtures of Fluorochemicals and Shrink-Resist Polymers (*Guise*) 182
French, A. D. Effect of Boll Age and Mercerization on Cotton Fiber Properties (*Ramey, Lawson, Duckett*) 250
Frick, J. G., Jr. Investigations Toward Formaldehyde-Free Finishes (*Harper*) 141
Frost, C. E. Temperature-Sensitive Hollow Fibers Containing Phase Change Salts (*Vigo*) 633

Gannaway, John R. Breeding for High Strength Cotton 31
Ghosh, T. K. A Novel Method of Spinning Jute Yarns for Decoratives (*Sen Gupta, Gupta, Bhattacharya, De*) 418
Gillberg, G. E. Contributions of Binder and Fiber to Nonwoven Properties (*Besso, Stuetz*) 587
Goynes, Wilton R. Microelemental Analysis for Identifying Cotton-Related Dust Particles (*Berni*) 654
Grady, P. L. The Effect of Projectile Geometry on the Performance of Ballistic Fabrics (*Montgomery, Tomasino*) 442
Greene, J. D. Stabilization of Bulk in Nylon Carpet Yarns Using Radiation Curable Resins (*Gupta, Walsh*) .. 457
Gregorski, K. S. Water Transport and Wrinkle Recovery of Wool (*Menefee, Pittman, Landwehr*) 86
Greven, R. A Method for Isolating the Cortex of Keratin Fibers (*Wortmann, Zahn*) 479
Guise, G. Bruce Treatment of Wool Fabrics with Mixtures of Fluorochemicals and Shrink Resist Polymers (*Freeland*) 182
Gupta, B. S. Stabilization of Bulk in Nylon Carpet Yarns Using Radiation Curable Resins (*Greene, Walsh*) 457
Gupta, D. K. Load-Deformation Behavior of Two-Dimensional Crimped Filaments (*El-Shiekh*) 621
Gupta, N. P. A Novel Method of Spinning Jute Yarns for Decoratives (*Sen Gupta, Ghosh, Bhattacharya, De*) 418
Chemically Texturing Jute and Jute-Polypropylene Blended Yarns (*Majumdar, Bhattacharya, Sur, Roy*) 694
Gupta, V. B. False-Twist Textured Poly(ethylene Terephthalate) Slit Film Yarn (*Sen, Sengupta*) 710
Dependence of Stiffness and Strength of Cotton Fibers on Crystallite Orientation (*Moharir, Vijayraghavan, Panda*) 756

Harper, Robert J., Jr. Fluoroaromatic Ethers of Cotton 714
Investigations Toward Formaldehyde-Free Finishes (*Frick*) 141
Hassenboehler, Charles B., Jr. A Mixed Flow Thermal Transmittance Tester for Textiles (*Vigo*) 510
Surface Temperature Measurements for Estimating Relative Heat Flow Through Textiles (*Vigo, Wyatt*) .. 451
Hayes, Kenneth Hydrolytic Effects on the Modulus of Polyester Fibers (*Behery*) 286
Hearne, E. R. Behavior of Loose Fibrous Beds During Centrifuging. Part I: Compressibility of Fibrous Beds Subjected to Centrifuging Forces (*Nossar*) 609
Hebeish, A. Studies of Some Basic Aspects in Easy-Care Cotton Finishing. Part IV: Urea Nitrate Catalyzes Crosslinking of Cotton (*Ibrahim*) 116
Heintz, C. E. Capsule-Producing Coryneform Bacteria Associated with Stickiness in Cotton (*Wyatt*) 518
Hembree, J. F. Estimating Functional Relationships Be-

tween Fiber Properties and the Strength of Open-End Spun Yarns (*Ethridge, Towery*) 35
Hemstreet, James Methods of Electrically Charging Cotton 263
Hersh, S. P. Particle Size Distribution of Submicron Cotton Dust Using Transmission Electron Microscopy (*Netravali, Tucker*) 720
Hicks, H. L. Properties and Applications of Celanese PBI-Polybenzimidazole Fiber (*Coffin, Serad, Montgomery*) 466
Hollies, Norman R. S. The Transfer of Chemicals from Clothing to Skin (*Krejci, Smith*) 370
Horsfall, G. A. Factors Influencing the Daylight Photodegradation of Nylon 66, Nylon 6, and Polyester in Commercial Fabrics 197
Hunsucker, Jerry H. Reduced Formaldehyde Release with Nitro Alcohols (*Sankey, Eckler, Tomasino, Livengood*) 133
Hussain, G. F. S. Changes in Cross-Sectional Dimensions of Cotton Fibers on Crosslinking and on Subsequent Wetting (*Petkar, Krishna Iyer, Patil*) 503
Influence of Mercerization and Crosslinking on the Dynamic and Static Moduli of Cotton Yarns (*Krishna Iyer, Patil*) 663
Inverse Relaxation/Stress Recovery in Cotton Fibers and Yarn (*Nachane, Krishna Iyer*) 483

Ibrahim, N. A. Studies of Some Basic Aspects in Easy-Care Cotton Finishing. Part IV: Urea Nitrate Catalyzes Crosslinking of Cotton (*Hebeish*) 116
Irvine, P. A. Measurement with the CSIRO Fiber Fineness Distribution Analyser (*Lunney*) 217

Jones, Brian W. Formaldehyde Finishing (*Turner, Snyder, Luparello*) 157

Kalyanaraman, A. R. Influence of Geometrical Mode of Testing on Breaking Strength Values of Fabrics ... 665
The X-Ray Orientation Factors of Cotton Fibers Salvaged from Museum Samples 411
Kelsey, W. Brice Foam Finishing Technology (*Baker, Bryant, Camp*) 395
Khanna, D. N. Aliphatic-Aromatic Copolyester Fibers: Effect of Bisphenols on Dyeability (*Bajaj*) 292
King, Walter D. Durable-Press Performance of Fabric from Filament-Wrapped Cotton Yarn (*Rowland, Bertoniere*) 93
Kinnison, J. L. Estimating Quality Components of Natural Fibers by Near-Infrared Reflectance. Part II: Clean Wool Base and Average Wool Fiber Diameter (*Larsen*) 25
Klemash, Nancy A. Electron Microscopical Analysis of Oily Soil Penetration into Cotton and Polyester/Cotton Fabrics (*Obendorf*) 434
Kravetz, Louis Foam Mercerization (*Turner, Blanton*) .. 73
Krejci, Veronika The Transfer of Chemicals from Clothing to Skin (*Hollies, Smith*) 370
Krishna Iyer, K. R. Alkali Swelling and Stretching of Normal Viscose Rayon Filament Yarn (*Murthy, Patil, Sundaram*) 780
Changes in Cross-Sectional Dimensions of Cotton Fibers on Crosslinking and on Subsequent Wetting (*Hussain, Petkar, Patil*) 503
Influence of Mercerization and Crosslinking on the Dynamic and Static Moduli of Cotton Yarns (*Hussain, Patil*) 663
Inverse Relaxation/Stress Recovery in Cotton Fibers and Yarn (*Nachane, Hussain*) 483
Krucińska, I. Distribution of Component Fibers on the Surface of a Blended Yarn (*Żurek, Adrian*) 473
Kullman, Russell M. H. High Cotton-Content Polyester/Kevlar Triblend Yarns and Fabrics (*Ruppenicker*) 344
Ladisch, Christine M. Acid and Enzymatic Hydrolysis of Pretreated Cellulosic Materials as an Analytical Tool (*Chiasson, Tsao*) 423
Lamb, George E. R. Filtration of Cotton Dust by Lint Filter Media (*Dunbar*) 205
Landwehr, R. Water Transport and Wrinkle Recovery of Wool (*Menefee, Pittman, Gregorski*) 86
Larsen, Svend A. Estimating Quality Components of Natural Fibers by Near-Infrared Reflectance. Part II: Clean Wool Base and Average Wool Fiber Diameter (*Kinnison*) 25
Lawson, R. Effect of Boll Age and Mercerization on Cotton Fiber Properties (*Ramey, Duckett, French*) 250
Leeder, John D. Readily-Extracted Proteins from Merino Wool (*Marshall*) 245
Lewis, D. M. Applying Shrink Resist Polymers to Wool Fabrics at Room Temperature Using Pad-Store Methods 580
Lien, Maureen Dever Modifying Wear Life of All-Cotton Fabrics. Part I: Liquid Ammonia Treatment and Durable Press Finish (*Raheel*) 493
Part II: Scanning Electron Microscopy of Abrasion Phenomena in Fabrics Treated with Liquid Ammonia and Durable Press Finish (*Raheel*) 555
Livengood, Charles Reduced Formaldehyde Release with Nitro Alcohols (*Hunsucker, Sankey, Eckler, Tomasino*) 133
Longo, Maria Luisa The Role of Electrolytes in the Cationic Dye-Acrylic Fiber System (*Sciotto, Torre*) ... 233
Lord, Peter R. Author's Reply to Comments 542
Lunney, H. W. M. Measurement with the CSIRO Fiber Fineness Distribution Analyser (*Irvine*) 217
Luparello, Diane O. Formaldehyde Finishing (*Jones, Turner, Snyder*) 157

Majumdar, A. Chemically Texturing Jute and Jute-Polypropylene Blended Yarns (*Gupta, Bhattacharya, Sur, Roy*) 694
Makinson, K. Rachel Transmission Electron Microscopy Studies of the Permanganate/Salt Shrinkproofing Treatment of Wool (*Tester*) 227
Maness, Debbie Benefit-Cost Analysis of The Cotton Dust Regulation (*Dardis, Block*) 380
Mangum, Charles S. The Cottonmaster® Fiber Cleaner (*Chewning*) 45
Mansural Hoque, A. K. M. Flammability of Metal-Cation-Exchanged Jute Fabrics (*Mehta*) 607
Marquette, Yvonne B. Rapid-Cure Catalyst in Pad-Dry-Cure and Low Wet-Pickup Durable Press Finishing (*Reeves*) 101
Marsh, Paul B. Bacterial Counts on Commercial Raw Cotton from the U.S. Crop of 1980 (*Simpson*) 1
Marshall, Robert C. Readily-Extracted Proteins from Merino Wool (*Leeder*) 245
Masri, M. Sid Improvement in Wool Scouring to Conserve Energy and Water Use in Process 77
Massie, D. R. The Prediction of the Yield of Wool by Near-Infrared Reflectance Spectroscopy. Part III: Combined Near-Infrared and Visible Transmission Methods on Washed Wool (*Connell, Norris*) 212
Mehta, R. D. Flammability of Metal-Cation-Exchanged Jute Fabrics (*Mansural Hoque*) 607
Menefee, E. Water Transport and Wrinkle Recovery of Wool (*Pittman, Landwehr, Gregorski*) 86
Mhadgut, D. V. Count Strength Product Correction Factor for Polyester/Cotton Blended Yarns 668
Ideal Cotton Fiber Strength and Its Relation to Observed Strength, Maturity, and Fineness 781
Mohamed, Mansour An Analysis of the Mechanical Behavior of Triaxial Fabrics and the Equivalency of Conventional Fabrics (*Schwartz, Fornes*) 388

Moharir, A. V. Dependence of Stiffness and Strength of Cotton Fibers on Crystallite Orientation (*Vijayraghavan, Panda, Gupta*) 756
Montalvo, J. G. Dust Released by Repetitive Cleaning with the Cotton Particulates Analyzer (*DeLuca*) 563
Modeling Total Particulate Measurement in Cotton (*Rousselle*) 10
Montgomery, R. T. Properties and Applications of Celanese PBI—Polybenzimidazole Fiber (*Coffin, Serad, Hicks*) 466
Montgomery, T. G. The Effects of Projectile Geometry on the Performance of Ballistic Fabrics (*Grady, Tomasino*) 442
Morey, P. E. Endotoxin Content and Fiber Properties of Raw Cotton (*Fisher, Sasser*) 524
Morris, M. A. The Effect of Wash Temperature on Removal of Particulate and Oily Soil from Fabrics of Varying Fiber Content (*Prato*) 280
Morosoff, Nicholas A Physico-Chemical Study of the Supercontraction of Spider Major Ampullate Silk Fibers (*Work*) 349
Munshi, V. G. Studies on Abrasion of Sewing Threads with Scanning Electron Microscopy (*Pai, Ukidve*) 776
Murthy, D. R. Alkali Swelling and Stretching of Normal Viscose Rayon Filament Yarn (*Krishna Iyer, Patil, Sundaram*) 780

Nachane, R. P. Inverse Relaxation/Stress Recovery in Cotton Fibers and Yarn (*Hussain, Krishna Iyer*) 483
Needles, Howard L. Solubility Parameters (*Siddiqui*) ... 570
Studies of Solvent Dyeing. Part II: Solvent Dyeing Behavior of New Disperse Dyes on Polyethylene Terephthalate Fiber (*Siddiqui*) 403
Netravali, A. N. Particle Size Distribution of Submicron Cotton Dust Using Transmission Electron Microscopy (*Tucker, Hersh*) 720
Nieuwenhuis, K. J. Binding of Free Formaldehyde 416
Nishikawa, Akemi Fixation of Self-Organized Chemical Wave Patterns on Cotton Cloth (*Shibuya*) 419
Norris, K. H. The Prediction of the Yield of Wool by Near-Infrared Reflectance Spectroscopy. Part III: Combined Near-Infrared Reflectance and Visible Transmission Methods on Washed Wool (*Connell, Massie*) 212
Nossar, M. S. Behavior of Loose Fibrous Beds During Centrifuging. Part I: Compressibility of Fibrous Beds Subjected to Centrifuging Forces (*Hearne*) 609

Obendorf, S. Kay Electron Microscopical Analysis of Oily Soil Penetration into Cotton and Polyester/Cotton Fabrics (*Klemash*) 434
Olsen, Neva F. Effect of Air Permeability on Smoldering Characteristics of Cotton Upholstery Fabrics (*Travers*) 598

Pai, S. D. Studies on Abrasion of Sewing Threads with Scanning Electron Microscopy (*Munshi, Ukidve*) .. 776
Pal, B. K. A Study of the Properties of Polyester-Ramie Blended Yarns (*Sharma, Sen Gupta*) 415
Panda, B. C. Dependence of Stiffness and Strength of Cotton Fibers on Crystallite Orientation (*Moharir, Vijayraghavan, Gupta*) 756
Pasad, D. M. The Effect of Pad-Bath pH and Storage Period on the Hydrolysis of DMDHEU (*Beck*) 269
Patil, N. B. Alkali Swelling and Stretching of Normal Viscose Rayon Filament Yarn (*Krishna Iyer, Murthy, Sundaram*) 780
Changes in Cross-Sectional Dimensions of Cotton Fibers on Crosslinking and on Subsequent Wetting (*Hussain, Petkar, Krishna Iyer*) 503
Influence of Mercerization and Crosslinking on the Dynamic and Static Moduli of Cotton Yarns (*Hussain, Krishna Iyer*) 663
Pensa, Ildo E. Energy Conservation Techniques in Durable Press Finishing (*Sello*) 335
Perel, J. Characterization of Fiber Length in Slivers 376
Perkins, Warren S. Foam Sizing (*Walker*) 547
Petkar, B. M. Changes in Cross-Sectional Dimensions of Cotton Fibers on Crosslinking and on Subsequent Wetting (*Hussain, Krishna Iyer, Patil*) 503
Pittman, A. Water Transport and Wrinkle Recovery of Wool (*Menefee, Landwehr, Gregorski*) 86
Prato, H. H. The Effect of Wash Temperature on Removal of Particulate and Oily Soil from Fabrics of Varying Fiber Content (*Morris*) 280
Puente, P. Empirical Equations of Dyeing Kinetics (*Cegarra, Carrión*) 193

Raheel, Mastura Modifying Wear Life of All-Cotton Fabrics. Part I: Liquid Ammonia Treatment and Durable Press Finish (*Lien*) 493
Part II: Scanning Electron Microscopy of Abrasion Phenomena in Fabrics Treated with Liquid Ammonia and Durable Press Finish (*Lien*) 555
Rakshit, A. K. Comparison of Medium and Long Term Irregularities in Ring Spun and Open End Spun Yarns (*Balasubramanian*) 651
Ramey, H. H., Jr. Estimating Quality Components of Natural Fibers by Near-Infrared Reflectance. Part I: Cotton Fiber Cross-Sectional Area and Specific Surface 20
Effect of Boll Age and Mercerization on Cotton Fiber Properties (*Lawson, Duckett, French*) 250
Reagan, Barbara M. Microwave Sanitization of Polyester and Cotton (*Rolow, Urban*) 186
Thermal Properties of Wall Covering Materials (*Villasi*) 703
Reeves, Wilson A. Rapid-Cure Catalyst in Pad-Dry-Cure and Low Wet-Pickup Durable Press Finishing (*Marquette*) 101
Reichard, Sherwood M. Enzymatic Evaluation of Sugar Content of Cotton (*Bailey, Bailey*) 321
Reinhardt, Robert M. How Mixed Catalysts Differ (*Andrews*) 123
Reischl, Uwe Advanced Prototype Firefighter Protective Clothing: Heat Dissipation Characteristics (*Stransky, DeLorme, Travis*) 66
Rivett, Donald E. The Distribution of Polyamines in Treated Wool 417
Rolow, Ann M. Microwave Sanitization of Polyester and Cotton (*Reagan, Urban*) 186
Rousselle, Marie-Alice Modeling Total Particulate Measurement in Cotton (*Montalvo*) 10
Rowland, Stanley P. Catalysis of the Dimethylolethyleneurea-Cotton Cellulose Reaction with Three Different Metal Salts (*Shih*) 108
Durable Press Performance of Fabric from Filament-Wrapped Cotton Yarn (*Bertoniere, King*) 93
Roy, D. Chemically Texturing Jute and Jute-Polypropylene Blended Yarns (*Gupta, Majumdar, Bhattacharya, Sur*) 694
Roy, P. Behavior of Twistless Filling (*Talukdar*) 542
Ruppenicker, George F. High Cotton-Content Polyester/Kevlar Triblend Yarns and Fabrics (*Kullman*) 344

Salhotra, K. R. Incidence and Mechanism of Fiber Breakage in Rotor Spinning (*Chattopadhyay*) 317
Sankey, Charles F. Reduced Formaldehyde Release with

Nitro Alcohols (*Hunsucker, Eckler, Tomasino, Livengood*) ... 133
Sasser, P. E. Endotoxin Content and Fiber Properties of Raw Cotton (*Morey, Fischer*) ... 524
Scheininger, Manette M. Predicting the Hand of Nonwoven Fabrics from Simple Laboratory Measurements (*Barker*) ... 615
Schwartz, Peter An Analysis of the Mechanical Behavior of Triaxial Fabrics and the Equivalency of Conventional Fabrics (*Fornes, Mohamed*) ... 388
Bending Properties of Triaxially Woven Fabrics ... 604
Sciotto, Domenico The Role of Electrolytes in the Cationic Dye-Acrylic Fiber System (*Longo, Torre*) ... 233
Sello, Stephen B. Energy Conservation Techniques in Durable Press Finishing (*Pensa*) ... 335
Sen, A. False-Twist Textured Poly(ethylene Terephthalate) Slit Film Yarn (*Gupta, Sengupta*) ... 710
Sengupta, A. K. Change in Configuration of Fibers During Transfer from Cylinder to Doffer in a Card (*Chattopadhyay*) ... 178
False-Twist Textured Poly(ethylene Terephthalate) Slit Film Yarn (*Sen, Gupta*) ... 710
Sen Gupta, P. A Novel Method of Spinning Jute Yarns for Decoratives (*Gupta, Ghosh, Bhattacharya, De*) ... 418
A Study of the Properties of Polyester-Ramie Blended Yarns (*Pal, Sharma*) ... 415
Serad, G. A. Properties and Applications of Celanese PBI-Polybenzimidazole Fiber (*Coffin, Hicks, Montgomery*) ... 466
Sharma, S. K. A Study of the Properties of Polyester-Ramie Blended Yarns (*Pal, Sen Gupta*) ... 415
Shibuya, Tai-ichi Fixation of Self-Organized Chemical Wave Patterns on Cotton Cloth (*Nishikawa*) ... 419
Shih, Frederick F. Catalysis of the Dimethylolethyleneurea Cotton Cellulose Reaction with Three Different Metal Salts (*Rowland*) ... 108
Siddiqui, Sarfraz A. Solubility Parameters (*Needles*) ... 570
Studies of Solvent Dyeing. Part II: Solvent Dyeing Behavior of New Disperse Dyes on Polyethylene Terephthalate Fiber (*Needles*) ... 403
Simpson, Jack The Effect of Rotor Fiber Groove Design on Trash Accumulation, End Breakage, and Yarn Properties ... 52
Simpson, Marion E. Bacterial Counts on Commercial Raw Cotton from the U.S. Crop of 1980 (*Marsh*) ... 1
Sirang, Yang A Study of Hairiness and Diameter of Open-End Yarn Processed Through Single- and Double-Cylinder Carding Machines and Its Comparison with Ring Yarn (*Dinfon, Behery*) ... 274
Smith, I. Trevor The Transfer of Chemicals from Clothing to Skin (*Hollies, Krejci*) ... 370
Smith, Steven C. Mechanics of Texturing Thermoplastic Yarns. Part IX: Yarn Behavior in the Second Heater (*Backer*) ... 761
Snyder, Lee G. Formaldehyde Finishing (*Jones, Turner, Luparello*) ... 157
Soosamma, P. C. Crystal Structure of Saponified Cellulose Triacetate Fiber (*Venkataraman, Subramanian*) ... 506
Stanley, J. B. Volatiles from Cotton Plant Parts (*Berni*) 539
Stelmasiak, Ewa Influence of Ammonia on Some Chemical Properties of Wool (*Włochowicz*) ... 485
Stransky, Alfred Advanced Prototype Firefighter Protective Clothing: Heat Dissipation Characteristics (*Reischl, DeLorme, Travis*) ... 66
Stuetz, D. E. Contributions of Binder and Fiber to Nonwoven Properties (*Besso, Gillberg*) ... 587
Subramanian, A. Dyeing of Alkali Swollen and Alkali Swollen Solvent Exchanged Cotton with a Reactive Dye (*Chavan*) ... 733
Subramanian, D. R. Crystal Structure of Saponified Cellulose Triacetate Fiber (*Venkataraman, Soosamma*) 506
Sundaram, V. Alkali Swelling and Stretching of Normal Viscose Rayon Filament Yarn (*Krishna Iyer, Murthy, Patil*) ... 780
Sur, D. Chemically Texturing Jute and Jute-Polypropylene Blended Yarns (*Gupta, Majumdar, Bhattacharya, Roy*) ... 694
Effect of Preferential Migration on the Flexural Rigidity of Jute Blended Yarns (*Chakravarty, Bandyopadhyay*) ... 413

Talukdar, M. K. Behavior of Twistless Filling (*Roy*) ... 542
Tester, D. H. Transmission Electron Microscopy Studies of the Permanganate/Salt Shrinkproofing Treatment of Wool (*Makinson*) ... 227
Thom, J. D. Self-Twist Cotton Roving. Part I: Roving Production and Properties (*Abbott*) ... 171
Tomasino, Charles Reduced Formaldehyde Release with Nitro Alcohols (*Hunsucker, Sankey, Eckler, Livengood*) ... 133
The Effect of Projectile Geometry on the Performance of Ballistic Fabrics (*Montgomery, Grady*) ... 442
Torre, Michele The Role of Electrolytes in the Cationic Dye-Acrylic Fiber System (*Longo, Sciotto*) ... 233
Towery, J. D. Estimating Functional Relationships Between Fiber Properties and the Strength of Open-End Spun Yarns (*Ethridge, Hembree*) ... 35
Travers, Emadene B. Effect of Air Permeability on Smoldering Characteristics of Cotton Upholstery Fabrics (*Olsen*) ... 598
Travis, Ralph Advanced Prototype Firefighter Protective Clothing: Heat Dissipation Characteristics (*Reischl, Stransky, DeLorme*) ... 66
Tsao, George T. Acid and Enzymatic Hydrolysis of Pretreated Cellulosic Materials as an Analytical Tool (*Ladisch, Chiasson*) ... 423
Tucker, P. A. Particle Size Distribution of Submicron Cotton Dust Using Transmission Electron Microscopy (*Netravali, Hersh*) ... 720
Turner, John D. Foam Mercerization (*Blanton, Kravetz*) 73
Formaldehyde Finishing (*Jones, Snyder, Luparello*) ... 157

Ukidve, A. V. Studies on Abrasion of Sewing Threads with Scanning Electron Microscopy (*Munshi, Pai*) ... 776
Urban, James E. Microwave Sanitization of Polyester and Cotton (*Reagan, Rolow*) ... 186

Vail, Sidney L. Chemistry of Hydroxymethyl Phosphorus Compounds. Part I: Introduction (*Daigle, Frank*) 671
Part II: Phosphonium Salts (*Frank, Daigle*) ... 678
Part III: Phosphines, Phosphine Oxides, and Phosphonium Hydroxides (*Frank, Daigle*) ... 738
Varghese, J. Durable Press Finishing of Cotton Drill Using Transfer-Pad-Cure Technique (*Doshi*) ... 638
Venkataraman, A. Crystal Structure of Saponified Cellulose Triacetate Fiber (*Subramanian, Soosamma*) ... 506
Vigo, Tyrone L. A Mixed Flow Thermal Transmittance Tester for Textiles (*Hassenboehler*) ... 510
Surface Temperature Measurements for Estimating Relative Heat Flow Through Textiles (*Hassenboehler, Wyatt*) ... 451
Temperature-Sensitive Hollow Fibers Containing Phase Change Salts (*Frost*) ... 633
Vijayraghavan, K. M. Dependence of Stiffness and Strength

of Cotton Fibers on Crystallite Orientation (*Moharir, Panda, Gupta*) 756
Villasi, Ludwig Thermal Properties of Wall Covering Materials (*Reagan*) 703

Walker, Robert P. Foam Sizing (*Perkins*) 547
Walsh, W. K. Stabilization of Bulk in Nylon Carpet Yarns Using Radiation Curable Resins (*Greene, Walsh*) 457
Ward, T. L. Modification of Cotton by Radiofrequency Plasma of Ammonia (*Benerito*) 256
Weiss, Louis C. Electrodynamic Behavior of Textile Fibers 59
Welch, Clark M. Durable Press Finishing of Cotton with N-Methylolacrylamide Using Non-Peroxidic Polymerization Initiators 529
Glyoxal as a Non-Nitrogenous Formaldehyde-Free Durable Press Reagent for Cotton (*Danna*) 149
Wilkes, James M. Calculating Fiber Index of Refraction from Laser Back-Scattering Data 481
Włochowicz, Andrzej Influence of Ammonia on Some Chemical Properties of Wool (*Stelmasiak*) 485
Work, Robert W. A Physico-Chemical Study of the Supercontraction of Spider Major Ampullate Silk Fibers (*Morosoff*) 349
Wortmann, F. J. A Method for Isolating the Cortex of Keratin Fibers (*Greven, Zahn*) 479
Wyatt, B. G. Capsule-Producing Coryneform Bacteria Associated with Stickiness in Cotton (*Heintz*) 518
Wyatt, Nancy E. Surface Temperature Measurements for Estimating Relative Heat Flow Through Textiles (*Vigo, Hassenboehler*) 451

Yamamoto, Kazuhide Crease-Resistance Treatments of Cotton Fabrics with Non-Formaldehyde Crosslinking Agents 357
Crease-Resistance Finishing of Cotton Fabrics with Acrylate Copolymers and Dihydroxydimethylethyleneurea 363

Zahn, H. A Method for Isolating the Cortex of Keratin Fibers (*Wortmann, Greven*) 479
Żurek, W. Distribution of Component Fibers on the Surface of a Blended Yarn (*Krucińska, Adrian*) 473

SUBJECT INDEX

Abrasion
of sewing threads: studies with scanning electron microscopy *Munshi, Pai, Ukidve* 776
Acrylics, Fiber System
effect of cationic dyes on: role of electrolytes in *Longo, Sciotto, Torre* 233
Analysis
microelemental: for identifying cotton-related dust particles *Goynes, Berni* 654
of cotton dust regulation: benefit-cost *Dardis, Block, Maness* 380
of fiber fineness: measurement with CSIRO Fiber Fineness Distribution Analyser *Lunney, Irvine* 217
of mechanical behavior of triaxial fabrics and equivalency of conventional fabrics *Schwartz, Fornes, Mohamed* 388

Bacteria
capsule producing coryneform: associated with stickiness in cotton *Wyatt, Heintz* 518
Bacterial Counts
on commercial raw cotton: from U.S. crop of 1980 *Simpson, Marsh* 1
Ballistic Fabrics
performance of: effects of projectile geometry on *Montgomery, Grady, Tomasino* 442
Bending
properties of triaxially woven fabrics *Schwartz* 604
Blends
polyester/kevlar triblends: yarns and fabrics: high cotton-content of *Ruppenicker, Kullman* 344
Bulk
stabilization in nylon carpets: using radiation curable resins *Gupta, Greene, Walsh* 457

Carding
change in fiber configuration: during transfer from cylinder to doffer *Sengupta, Chattopadhyay* 178
single- and double-cylinder machines: study of hairiness and diameter of processed open-end yarn: compared with ring yarn *Sirang, Dinfon, Behery* 274
Carpet, Nylon
stabilization of bulk: using radiation curable resins *Gupta, Greene, Walsh* 457
Catalysis
of dimethylolethyleneurea-cotton cellulose reaction with three different metal salts *Shih, Rowland* 108
urea nitrate: catalyzes crosslinking of cotton: studies of some basic aspects in easy-care cotton finishing *Hebeish, Ibrahim* 116
how mixed catalysts differ *Andrews, Reinhardt* 123
rapid-cure: in pad-dry-cure and low wet-pickup durable press finishing *Reeves, Marquette* 101
Cellulose
pretreated materials: acid and enzymatic hydrolysis as an analytical tool *Ladisch, Chiasson, Tsao* 423
saponified triacetate fiber: crystal structure *Venkataraman, Subramanian, Soosamma* 506
Centrifuging
behavior of loose fibrous beds during: compressibility of beds *Hearne, Nossar* 609
Chemical Properties
of wool: influence of ammonia on *Stelmasiak, Włochowicz* 485
Chemical Reactions
fluoroaromatic ethers of cotton *Harper* 714
of hydroxymethyl phosphorus compounds: introduction *Vail, Daigle, Frank* 671
of hydroxymethyl phosphorus compounds: phosphonium salts *Frank, Daigle, Vail* 678
of hydroxymethyl phosphorus compounds: phosphines, phosphine oxides, and phosphonium hydroxides *Frank, Daigle, Vail* 738
of hydroxymethyl phosphorus compounds: ammonia, amines, and THPOH: chemical approach to flame retardancy *Daigle, Frank* 751
of normal viscose rayon filament yarn: alkali swelling and stretching *Krishna Iyer, Murthy, Patil, Sundaram* 780
self-organized wave patterns on cotton cloth *Shibuya, Nishikawa* 419
Chemicals
transfer of: from clothing to skin *Hollies, Krejci, Smith* 370
Clothing
transfer of chemicals: to skin *Hollies, Krejci, Smith* 370
Clothing, Protective
advanced prototype firefighter: heat dissipation characteristics *Reischl, Stransky, DeLorme, Travis* 66
Conservation
of energy and water use in process: improvements in wool scouring *Masri* 77
Copolyester Fibers
aliphatic-aromatic: effect of bisphenols on dyeability *Bajaj, Khanna* 292
Copolymers
acrylate and dihydroxymethylethyleneurea: crease resistance treatments of cotton fabrics *Yamamoto* ... 363
Cotton
alkali swollen and solvent exchanged: dyeing with a reactive dye *Chavan, Subramanian* 733
and polyester: microwave sanitization of *Reagan, Rolow, Urban* 186
and polyester blended yarns: count strength product correction factor for *Mhadgut* 668
DMDHEU treated: a new concept in the reduction of free formaldehyde in easy-care finishing *Cashen* 313
drill: durable press finishing using transfer-pad-cure technique *Varghese, Doshi* 638
durable press finishing with N-methylolacrylamide using non-peroxidic polymerization initiators *Welch* ... 529
electrically charged: methods of *Hemstreet* 263
fluoroaromatic ethers of *Harper* 714
glyoxal as a non-nitrogenous formaldehyde-free durable press reagent for *Welch, Danna* 149
high content of polyester/Kevlar triblend yarns and fabrics *Ruppenicker, Kullman* 344
high strength: breeding for *Gannaway* 31
lint: detecting sugars in *Elsner* 538
modification of by radio-frequency plasma of ammonia *Ward, Benerito* 256
particulates analyzer: dust released by repetitive cleaning with *Montalvo, DeLuca* 563
plant parts: volatiles from *Berni, Stanley* 539
stickiness in: capsule producing coryneform bacteria associated with *Wyatt, Heintz* 518
sugar content in: an enzymatic evaluation *Bailey, Bailey, Reichard* 321
total particulate measurement in: modeling *Montalvo, Rousselle* 10
waste: hybrid spinning of *Audivert, De Castellar, Fortuny* 667
Cotton Cellulose
catalysis of the dimethylolethyleneurea-cotton cellulose reaction with three different metal salts *Shih, Rowland* 108

Cotton cloth
self-organized wave patterns on: fixated chemically *Shibuya, Nishikawa* 419
Cotton Dust
filtration of by lint filter media *Lamb, Dunbar* 205
reduced flowrate through filter: contact between tubing adaptor and support pad *Cocke* 157
regulation: benefit-cost analysis of *Dardis, Block, Maness* 380
related particles: microelemental analysis for identifying *Goynes, Berni* 654
released by repetitive cleaning with cotton particulates analyzer *Montalvo, DeLuca* 563
submicron: particle size distribution using transmission electron microscopy *Netravali, Tucker, Hersh* ... 720
Cotton Fabrics
and polyester/cotton: oily soil penetration of: electron microscopical analysis *Obendorf, Klemash* 434
comparison of pad-dry-cure and low add-on reactant application on cotton fabrics *de Boer* 237
crease resistance finishing with acrylate copolymers and dihydroxydimethylethyleneurea *Yamamoto* 363
crease resistance treatments with non-formaldehyde crosslinking agents *Yamamoto* 357
modifying wear life: liquid ammonia treatment and durable press finish *Raheel, Lien* 493
Cotton Fabrics
modifying wear life: scanning electron microscopy of abrasion phenomena in fabrics treated with liquid ammonia and durable press finish *Raheel, Lien* 555
upholstery: effect of air permeability on smoldering characteristics *Travers, Olsen* 598
Cotton Fibers
and yarns: inverse relaxation/stress recovery *Nachane, Hussain, Krishna Iyer* 483
changes in cross-sectional dimensions on crosslinking and on subsequent wetting *Hussain, Petkar, Krishna Iyer, Patil* 503
cleaning: Cottonmaster® fiber cleaner *Chewning, Mangum* 45
cross-sectional area and specific surface: estimating quality components of natural fibers by near-infrared reflectance *Ramey* 20
dependence of stiffness and strength: on crystallite orientation *Moharir, Vijayraghavan, Panda, Gupta* 756
from museum samples: X-ray orientation factors of *Kalyanaraman* 411
ideal strength and its relation to observed strength, maturity, and fineness *Mhadgut* 781
properties of: effect of boll age and mercerization on *Ramey, Lawson, Duckett, French* 250
Cotton Finishing
easy care: studies of some basic aspects in: urea nitrate catalyzes crosslinking of cotton *Hebeish, Ibrahim* 116
Cotton, Fire Retardant
smolder resistant treatment with boric acid: fabrics for the 80s *Baitinger* 82
Cotton, Raw
bacterial counts on commercial cotton: from U.S. crop of 1980 *Simpson, Marsh* 1
endotoxin content and fiber properties *Morey, Fischer, Sasser* 524
Cotton Roving
self-twist: roving production and properties *Abbott, Thom* 171
self-twist: yarn properties and spinnability *Abbott* .. 174
Cotton Yarn
dynamic and static moduli of: influence of mercerization and crosslinking *Hussain, Krishna Iyer, Patil* ... 663
filament-wrapped: durable-press performance of fabric made from *Rowland, Bertoniere, King* 93
Crease Resistance
of cotton fabrics: treatments with non-formaldehyde crosslinking agents *Yamamoto* 357
of cotton fabrics finished with acrylate copolymers and dihydroxymethylethyleneurea *Yamamoto* 363
Crimp
two dimensional filaments: load-deformation behavior *Gupta, El-Shiekh* 621
Crosslinking
and mercerization: influence on dynamic and static moduli of cotton yarns *Hussain, Krishna Iyer, Patil* 663
and subsequent wetting: changes in cross-sectional dimensions of cotton fibers *Hussain, Petkar, Krishna Iyer, Patil* 503
of cotton: urea nitrate catalyzes: studies of some basic aspects in easy-care cotton finishing *Hebeish, Ibrahim* 116
Crosslinking Agents
non-formaldehyde: crease-resistance treatment of cotton fabrics with *Yamamoto* 357
Cure, Pad-Dry
and low add-on reactant: comparison of application on cotton fabrics *de Boer* 237

Durable Press
and liquid ammonia: modifying wear life of all-cotton fabrics *Raheel, Lien* 493
and liquid ammonia: scanning electron microscopy of abrasion phenomena in fabrics treated with liquid ammonia and durable press finish: modifying wear life of all cotton fabrics *Raheel, Lien* 555
finishing: energy conservation techniques in *Pensa, Sello* 335
finishing of cotton drill using transfer-pad-cure technique *Varghese, Doshi* 638
finishing of cotton with N-methylolacrylamide using non-peroxidic polymerization initiators *Welch* ... 529
glyoxal as a non-nitrogenous formaldehyde-free reagent for cotton *Welch, Danna* 149
performance of fabric from filament-wrapped cotton yarn *Rowland, Bertoniere, King* 93
Dyeing
effect of bisphenols on: aliphatic-aromatic copolyester fibers *Bajaj, Khanna* 292
empirical kinetic equations *Cegarra, Puente, Carrión* 193
solvent: behavior of new disperse dyes on PET fiber *Siddiqui, Needles* 403
with a reactive dye: alkali swollen and solvent exchanged cotton *Chavan, Subramanian* 733
Dyes, Cationic
acrylic fiber system: role of electrolytes in *Longo, Sciotto, Torre* 233

Electrolytes
role of in cationic dye-acrylic fiber system *Longo, Sciotto, Torre* 233
Electron Microscopy
analysis of oily soil penetration of cotton and polyester/cotton fabrics *Obendorf, Klemash* 434
Energy
conservation techniques in durable press finishing *Pensa, Sello* 335
Enzymes
evaluation of sugar content in cotton *Bailey, Bailey, Reichard* 321

Fabrics
ballistic: effects of projectile geometry on performance *Montgomery, Grady, Tomasino* 442
breaking strength of: influence of geometrical mode of testing on values *Kalyanaraman* 665
mechanical behavior of triaxial fabrics and equivalency of conventional fabrics: analysis *Schwartz, Fornes, Mohamed* 388
Fibers
and binder: contributions to nonwoven properties *Besso, Gillberg, Stuetz* 587
change in configuration during transfer from cylinder to doffer in a card *Sengupta, Chattopadhyay* 178
characterization of length in slivers *Perel* 376
electrodynamic behavior of textile fibers *Weiss* 59
hollow, temperature-sensitive: containing phase change salts *Vigo, Frost* 633
saponified cellulose triacetate: crystal structure *Venkataraman, Subramanian, Soosamma* 506
strength: breeding for high strength cotton *Gannaway* 31
transport: methods of electrically charging cotton: airless transporting device *Hemstreet* 263
Fiber Breakage
incidence and mechanism of: in rotor spinning *Salhotra, Chattopadhyay* 317
Fiber Cleaning
the Cottonmaster® cleaner *Chewning, Mangum* 45
Fibers, Component
distribution on surface of a blended yarn *Żurek, Krucińska, Adrian* 473
Fiber Fineness
CSIRO distribution analyser: measurement with *Lunney, Irvine* 217
Fiber Properties
and endotoxin content of raw cotton *Morey, Fischer, Sasser* 524
and strength of open-end spun yarns: estimating functional relationships between *Ethridge, Towery, Hembree* 35
polybenzimidazole: Celanese PBI: applications *Coffin, Serad, Hicks, Montgomery* 466
self-twist cotton roving: roving production *Abbott, Thom* 171
stiffness and strength of cotton: dependence on for crystallite orientation *Moharir, Vijayraghavan, Panda, Gupta* 756
Fibers, Textile
electrodynamic behavior of *Weiss* 59
Fibrous Material
loose beds: behavior when subjected to centrifuging forces *Hearne, Nossar* 609
Filaments
two-dimensional crimped: load-deformation behavior *Gupta, El-Shiekh* 621
Filament-Wrapped Yarn
cotton yarn: durable-press performance of fabric from *Rowland, Bertoniere, King* 93
Filtration, Dust
contact between tubing adaptor and support pad reduces flow rate through dust filter *Cocke* 167
cotton: by lint filter media *Lamb, Dunbar* 205
Finishing
durable press: of cotton drill using transfer-pad-cure technique *Varghese, Doshi* 638
durable-press: rapid-cure catalyst in pad-dry-cure and low wet-pickup *Reeves, Marquette* 101
foam: technology *Baker, Bryant, Camp, Kelsey* 395
formaldehyde *Jones, Turner, Snyder, Luparello* 157
Finishes
formaldehyde-free: investigations toward *Frick, Harper* 141
shrink-resist polymers and fluorochemical soil-repellants: treatment of wool with mixture of *Guise, Freeland* 182
Finishing, Easy Care
of cotton: new concept in reduction of free formaldehyde associated with DMDHEU *Cashen* 313
Flame Resistance
advanced prototype firefighter protective clothing: heat dissipation characteristics *Reischl, Stransky, DeLorme, Travis* 66
Flame Retardants
chemistry of hydroxymethyl phosphorus compounds: introduction *Vail, Daigle, Frank* 671
chemistry of hydroxymethyl phosphorus compounds: phosphonium salts *Frank, Daigle, Vail* 678
chemistry of hydroxymethyl phosphorus compounds: phosphines, phosphine oxides, and phosphonium hydroxides *Frank, Daigle, Vail* 738
chemistry of hydroxymethyl phosphorus compounds: ammonia, amines, and THPOH: a chemical approach *Daigle, Frank* 751
treatment of fabrics for the 80s: smolder resistant cotton treated with boric acid *Baitinger* 82
Zirpro: neutralization of treated wool *Benisek* 731
Flammability
of metal-cation-exchanged jute fabrics *Mehta, Mansural Hoque* 607
Foam
finishing technology *Baker, Bryant, Camp, Kelsey* ... 395
mercerization sodium hydroxide *Turner, Blanton, Kravetz* 73
sizing *Perkins, Walker* 547
Formaldehyde
finishing: improved techniques *Jones, Turner, Snyder, Luparello* 157
finishing: investigations toward formaldehyde-free finishes *Frick, Harper* 141
free: binding of *Nieuwenhuis* 416
Formaldehyde Release
new concept in reduction from DMDHEU easy-care cotton *Cashen* 313
reduced release: how mixed catalysts differ *Andrews, Reinhardt* 123
reduced release with nitro alcohols *Hunsucker, Sankey, Eckler, Tomasino, Livengood* 133

Hairiness
and diameter of open-end yarns processed through single- and double cylinder carding machines and comparison with ring yarn *Sirang, Dinfon, Behery* ... 274
Hand
prediction of: for nonwoven fabrics from simple laboratory measurements *Barker, Scheininger* 615
Heat Dissipation
characteristics: advanced prototype firefighter protective clothing *Reischl, Stransky, DeLorme, Travis* 66
Heat Flow
through textiles: surface temperature measurements for estimating *Vigo, Hassenboehler, Wyatt* 451
Hydrolysis
acid and enzymatic: pretreated cellulosic materials as an analytical tool *Ladisch, Chiasson, Tsao* 423
effects on modulus of polyester fibers *Behery, Hayes* 286
of DMDHEU: effect of pad-bath pH and storage period on *Beck, Pasad* 269

Infrared, Near
reflectance: estimating quality components of natural fibers: cotton fiber cross-sectional area and specific surface *Ramey* 20
reflectance: estimating quality components of natural fibers: clean wool base and average wool fiber diameter *Larsen, Kinnison* 25
Insulation
values of interior window coverings: guarded window test apparatus for determining *Anderson* 643
wall covering materials: thermal properties of *Reagan, Villasi* 703

Jute
and jute-polypropylene blended yarns: chemical texturizing of *Gupta, Majumdar, Bhattacharya, Sur, Roy* 694
blended yarns: effect of preferential migration on flexural rigidity *Sur, Chakravarty, Bandyopadhyay* 413
fabrics: flammability of metal-cation-exchanged jute fabrics *Mehta, Mansural Hoque* 607
yarns: novel method of spinning for decoratives *Sen Gupta, Gupta, Ghosh, Bhattacharya, De* 418

Keratin Fibers
cortex of: a method for isolating *Wortmann, Greven, Zahn* 479
Kinetics
dyeing: empirical equations of *Cegarra, Puente, Carrión* 193

Lasers
back-scattering data: calculating fiber index of refraction *Wilkes* 481

Measurement
total particulate: modeling in cotton *Montalvo, Rousselle* 10
Mercerization
and boll age: effect on cotton fiber properties *Ramey, Lawson, Duckett, French* 250
and crosslinking: influence on dynamic and static moduli of cotton yarns *Hussain, Krishna Iyer, Patil* 663
foam: sodium hydroxide *Turner, Blanton, Kravetz* .. 73
Microorganisms
reduction of: microwave sanitization of polyester and cotton *Reagan, Rolow, Urban* 186
Microscopy
transmission electron: particle size distribution of submicron cotton dust *Netravali, Tucker, Hersh* 720
transmission electron: studies of permanganate/salt shrink-proofing treatment of wool *Tester, Makinson* 227
Migration
preferential: effect on flexural rigidity of jute blended yarns *Sur, Chakravarty, Bandyopadhyay* 413

Nonwovens
predicting hand from simple laboratory measurements *Barker, Scheininger* 615
properties: contributions of binder and fiber *Besso, Gillberg, Stuetz* 587
Nylon 66 and 6
and polyester: factors influencing daylight photodegradation of in commercial fabrics *Horsfall* 197

Organic Compounds
solubility parameters: methods for determining *Siddiqui, Needles* 570

Permeability, Air
effect on smoldering characteristics of cotton upholstery fabrics *Travers, Olsen* 598
PET Yarn
slit film: false-twist textured poly(ethylene terephthalate) *Sen, Gupta, Sengupta* 710
Photodegradation, Daylight
factors influencing: in nylon 66, nylon 6, and polyester commercial fabrics *Horsfall* 197
pH, Pad-Bath
and storage period: effect on hydrolysis of DMDHEU *Beck, Pasad* 269
Plasma, Radiofrequency
of ammonia: modification of cotton by *Ward, Benerito* 256
Polyamines
distribution of in treated wool *Rivett* 417
Polybenzimidazole
properties and applications of Celanese PBI fiber *Coffin, Serad, Hicks, Montgomery* 466
Polyester
and cotton: microwave sanitization of *Reagan, Rolow, Urban* 186
and cotton blended yarns: count strength product correction factor for *Mhadgut* 668
and nylon 66 and 6: factors influencing the daylight photodegradation of in commercial fabrics *Horsfall* 197
and ramie blended yarns: properties of *Pal, Sharma, Sen Gupta* 415
Polyester Fibers
modulus of: hydrolytic effects on *Behery, Hayes* 286
Polyester-Kevlar
triblend yarns and fabrics: high cotton-content of *Ruppenicker, Kullman* 344
Polymerization
non-peroxidic initiators: durable press finishing of cotton with N-methylolacrylamide *Welch* 529
Polymers
positively charged particles: interaction with wool fibers *Fleischfresser* 328
shrink resist: applying to wool fabrics at room temperature using pad-store methods *Lewis* 580
Polymers, Shrink-Resist
and fluorochemical soil repellants: treatment of wool with mixtures of *Guise, Freeland* 182
Proteins
readily extracted from merino wool *Leeder, Marshall* 245

Reactants
low add-on and pad-dry-cure: comparison of application on cotton fabrics *de Boer* 237
reduced formaldehyde release with nitro alcohols *Hunsucker, Sankey, Eckler, Tomasino, Livengood* 133
Reflectance
near-infrared: estimating quality components of natural fibers: cotton fiber cross-sectional area and specific surface *Ramey* 20
near-infrared: estimating quality components of natural fibers: clean wool base and average wool fiber diameter *Larsen, Kinnison* 25
near infrared spectroscopy and visible transmission methods of washed wool: used to predict wool yield *Connell, Massie, Norris* 212

Refraction
calculating fiber index of: from laser back-scattering data *Wilkes* 481
Resins
radiation curable: for stabilization of bulk in nylon carpet *Gupta, Greene, Walsh* 457

Scouring, Wool
improvements in: to conserve energy and water use in process *Masri* 77
SEM
of abrasion phenomena in fabrics treated with liquid ammonia and durable press finish: modifying wear life of all-cotton fabrics *Raheel, Lien* 555
of abrasion of sewing threads: studies *Munshi, Pai, Ukidve* 776
Shrinkproofing
of wool: transmission electron microscopy studies of the permanganate/salt treatment *Tester, Makinson* .. 227
Silk, Spider
major ampullate fibers: a physico-chemical study of the super contraction of *Work, Morosoff* 349
Slivers
fiber length in: characterization of *Perel* 376
Soiling
oily penetration of cotton and polyester/cotton fabrics: electron microscopical analysis *Obendorf, Klemash* 434
Soil Removal
particulate and oily: effect of wash temperature on fabrics of varying fiber content *Morris, Prato* 280
Soil Repellants
fluorochemical and shrink-resist polymers: treatment of wool with mixture of *Guise, Freeland* 182
Solubility
parameters *Siddiqui, Needles* 570
Solvent Dyeing
studies of: behavior of new disperse dyes on PET fiber *Siddiqui, Needles* 403
Spectroscopy
near-infrared reflectance: used to predict wool yield: combined near-infrared and visible transmission methods on washed wool *Conrell, Massie, Norris* 212
Spinning
hybrid: of cotton waste *Audivert, De Castellar, Fortuny* 667
effect of rotor fiber groove design on trash accumulation, end breakage, and yarn properties *Simpson* 52
Spinning
ring and open end yarns: comparison of medium and long term irregularities *Rakshit, Balasubramanian* 651
rotor: incidence and mechanism of fiber breakage *Salhotra, Chattopadhyay* 317
self-twist cotton roving: production and properties *Abbott, Thom* 171
self-twist cotton roving: yarn properties *Abbott* 174
Stress/Relaxation
inverse recovery in cotton fibers and yarns *Nachane, Hussain, Krishna Iyer* 483
Supercontraction
of spider silk: physico-chemical study of major ampullate fibers *Work, Morosoff* 349
Surface Temperature
measurements for estimating relative heat flow through textiles *Vigo, Hassenboehler, Wyatt* 451
Temperature Effects
temperature-sensitive hollow fibers containing phase change salts *Vigo, Frost* 633
Testing Apparatus
guarded window: for determining insulation value of interior window coverings *Anderson* 643
mixed flow thermal transmittance tester for textiles *Hassenboehler, Vigo* 510
Texturing
chemical: jute and jute-polypropylene blended yarns *Gupta, Majumdar, Bhattacharya, Sur, Roy* 694
false-twist: poly(ethylene terephthalate) slit film yarn *Sen, Gupta, Sengupta* 710
Texturing
thermoplastic yarns: mechanics of: experimental study of heat setting *Arghyros, Backer* 295
thermoplastic yarns: mechanics of yarn behavior in the second heater *Smith, Backer* 761
Thermal Properties
of wall covering materials: insulation values *Reagan, Villasi* 703
Thermal Transmittance
tester for textiles: mixed flow *Hassenboehler, Vigo* 510
Thermoplastic Yarns
mechanics of texturing: experimental study of heat setting *Arghyros, Backer* 295
mechanics of texturing: yarn behavior in second heater *Smith, Backer* 761
Twistless Yarns
filling: behavior in woven fabrics: author's reply *Talukdar, Roy and Lord* 542

Washing
temperature: effect on removal of particulate and oily soil from fabrics of varying fiber content *Morris, Prato* 280
Wetting
and crosslinking: changes in cross-sectional dimensions of cotton fibers *Hussain, Petkar, Krishna Iyer, Patil* 503
Wool
chemical properties: influence of ammonia on *Stelmasiak, Włochowicz* 485
Wool
clean base and average fiber diameter: estimating quality components of natural fibers by near-infrared reflectance *Larsen, Kinnison* 25
merino: readily extracted proteins from *Leeder, Marshall* 245
shrinkproofing: transmission electron microscopy studies of permanganate/salt treatment *Tester, Makinson* 227
treated: distribution of polyamines in *Rivett* 417
wrinkle recovery of: and water transport *Menefee, Pittman, Landwehr, Gregorski* 86
Zirpro flame retardant: neutralization of *Benisek* ... 731
Wool Fabrics
applying shrink resist polymers to: at room temperature using pad-store methods *Lewis* 580
treatment of with mixture of fluorochemicals and shrink-resist polymers *Guise, Freeland* 182
Wool Fibers
and positively charged polymer particles: interaction of *Fleischfresser* 328
Wool Scouring
improvements in: to conserve energy and water use in process *Masri* 77
Wool Yield
prediction of by near-infrared reflectance spec-

troscopy: combined near-infrared and visible transmission methods on washed wool *Connell, Massie, Norris* 212
Wovens
triaxial fabrics: bending properties of *Schwartz* 604
Wrinkle Recovery
of wool: and water transport *Menefee, Pittman, Landwehr, Gregorski* 86

X-Rays
orientation factors of: cotton fibers salvaged from museum samples *Kalyanaraman* 411

Yarns
blended: chemical texturing of jute and jute-polypropylene *Gupta, Majumdar, Bhattacharya, Sur, Roy* .. 694
open-end and ring: comparison of hairiness and diameter: processed through single- and double-cylinder machines *Sirang, Dinfon, Behery* 274
polyester-ramie blends: properties of *Pal, Sharma, Sen Gupta* 415
ring and open end spun: comparison of medium and long term irregularities *Rakshit, Balasubramanian* ... 651
slit film: false-twist textured poly(ethylene terephthalate) *Sen, Gupta, Sengupta* 710
viscose rayon filament: alkali swelling and stretching *Krishna Iyer, Murthy, Patil, Sundaram* 780
Yarns, Blended
surface: distribution of component fibers *Żurek, Krucińska, Adrian* 473
Yarns, Open-End Spun
fiber properties and strength of: estimating functional relationships between *Ethridge, Towery, Hembree* 35
Yarn Properties
self-twist cotton roving: spinnability *Abbott* 174
trash accumulation and end breakage: effect of rotor fiber groove design on *Simpson* 52